OFFICE OF THE REGISTRAR, UNIVERSITY OF MYSORE, MYSORE.

Notification No. 2256, *dated 22nd July* 1936.

S. Shankarachary, a student of the Junior B.Sc. Class, Central College, Bangalore, is permitted to change his name to R. S. Shankaracharya.

By Order,
V. GOPALASWAMI AIENGAR,
Registrar.

OFFICE OF THE REGISTRAR OF CO-OPERATIVE SOCIETIES IN MYSORE, BANGALORE.

Notification No. 779, *dated 27th July* 1396.

It is hereby notified for general information that the name of the Murudi Co-operative Society, Unlimited, Molakalmuru Taluk, Registered as No. 720, dated 20th April 1915, is changed to Thammenahalli Co-operative Society, Unlimited, due to the shifting of its headquarters from Murudi to Thammenahalli.

K. SUBBA RAO,
Registrar in charge.

OFFICE OF THE ASSISTANT REGISTRAR OF CO-OPERATIVE SOCIETIES, SHIMOGA DIVISION.

Notification dated 20th July 1936.

It is hereby notified for the information of the public, that the name of 'Bhadravathi Iron Works Co-operative Society, Ltd.' is changed to "Bhadravathi Iron and Steel Works Co-operative Society Limited."

C. N. RAMACHANDRA RAO,
Assistant Registrar.

Notification.

The Mysore Government Promissory Note No. D. 002645 of Mysore State Loan, the 6¼ per cent loan of 1940, for Rs. 100 originally standing in the name of Malkal Ramachandriah Setty, son of Ramaswamy Setty of Tyamagondlu, Nelamangala Taluk, Bangalore District by whom it was endorsed to his brother Malkal Shankariah Setty of Tyamagondlu, having been lost, notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of a duplicate in favour of Malkal Shankariah Setty, son of Ramaswamy Setty of Tyamagondlu. The public are cautioned against purchasing or otherwise dealing with the abovementioned security.

MALKAL SHANKARIAH SETTY,
Cloth Merchant and Shroff, Tyamagondlu, Nelamangala Taluk, Bangalore District.

Notification.

The Mysore Government 4 per cent Loan Bond, No. 001162, for Rs. 100 originally standing in the name of S. Siddoji Rao, Shimoga. by whom it was never endorsed to any person, having been lost, notice is hereby given that payment of the above note and the interest thereupon has been stopped by the Comptroller to the Government of His Highness the Maharaja of Mysore and that application is about to be made for the issue of a duplicate in favour of the widow of the said S. Siddoji Rao, namely, Mrs. Ganga Bai of Shimoga. The public are cautioned against purchasing or otherwise dealing with the abovementioned security.

MRS. GANGA BAI,
Widow of deceased S. Siddoji Rao, Shimoga.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 1377, *dated* 27—28*th July* 1936.

ERRATUM.

Statement of orders placed by the Stores Purchase Committee, during the week ending Saturday the 13th June 1936 and published at Page No. 1103 of Part VI of the *Mysore Gazette*, dated 16th July 1936.

Indent and Enquiry No.	*Material*	*Quantity*
3575 1755	Fish Plates	*For* 2,340 tons *read* 23.40 tons.

V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C. 933-55, dated 21st July 1936.

To

The Firms dealing in Switchgear.

Enquiry No. 1889.

SWITCHGEAR FOR THE RAILWAY CENTRAL WORKSHOPS, MYSORE.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

Item (1). *One*—Switchboard Panel of 2″ thick black slate, consisting of one bottom section 48″×24″ and one top section 28″×24″, with $\frac{3}{8}$″ bevels on all front edges and necessary supporting channel and $1\frac{1}{4}$″ pipe frame-work for mounting the panel 6 ft. from the wall. The slate should have a dull black finish.

The following instruments shall be mounted on the top section of the above mentioned panel :—

(*a*) *One*—Horizontal Edgewise Ammeter, with 0–60 amperes scale, 25 cycles, to be connected to secondaries of current transformers, 60 : 5 amperes ratio.

(*b*) *One*—Three-way Current Transfer Switch to read the current in any of the three phases with the ammeter of item (*a*) above.

(*c*) *One*—Horizontal Edgewise indicating Watt-meter, three phase, 3 wire, 25 cycles, five amperes, 115 volts, 0–500 KW. scale to be actuated by current transformers of 60 : 5 amps. ratio and potential transformers of 4,600 : 115 volts ratio.

(*d*) *One*—Test Block for testing the above meters to be suitably located in the bottom section of the panel.

Item (2). *Five*—Black Slate Panels similar to item (1) above, but consisting of only the top sections measuring 48″×24″, 2″ thick, with the necessary pipe frame-work, and the following instruments mounted on each panel :—

(*a*) *One*—Horizontal Edgewise A.C. Ammeter, 25 cycles with 500 amperes scale to be connected to 500 : 5 amperes current transformers, and

(*b*) *One*—Three-way Current Transfer Switch to read the current in any of the three phases by the above ammeter.

Item (3). *One*—Oil Circuit Breaker, triple pole single throw, manually operated, 600 amperes, 7,500 volts, equipped with two over-current direct trip coils energized by five amperes secondaries of current transformers and one 115 volts A.C. potential trip coil, 25 cycles, to trip the oil circuit breaker both on over-current and on no-voltage. The breaker should have a rupturing capacity of not less than 25,000 kVA. at rated voltage and be suitable for mounting on $1\frac{1}{4}$″ pipe frame-work 5″ back of panel, with the operating lever mounted on front of panel. The breaker should be supplied complete with the necessary terminal connectors, and oil for the first filling. Oil circuit breaker with the three phases located in separate tanks will be preferred.

Item (4). *Five*—Oil Circuit Breakers, triple pole, single throw, manually operated, 800 amperes, 600 volts, 25 cycles, for mounting on $1\frac{1}{4}$″ pipe-frame-work, 5″ back of panels of item (2) with operating lever in front of panels. Each breaker should be equipped with two over-current direct trip coil attachments to be energized from five amps. secondaries of current transformers, and one potential trip coil 220 volts, 25 cycles, so as to trip the breaker automatically both under over-current and no-voltage conditions. The breakers should have a rupturing capacity of not less than 15,000 kVA.

Item (5). *Two*—Indoor dry type Current Transformers, 60 : 5 amperes ratio, 25 cycles, 7,500 volts, suitable for $1\frac{1}{4}$″ pipe mounting and having a volt-ampere capacity of 50 VA. based on accuracy.

Item (6). *Ten*—Current Transformers as above, but of 800 : 5 amperes ratio, for use on 600 volts circuits.

Item (7). (*a*) *Two*—Indoor Type Potential Transformers, dry type, 25 cycles, 50 VA., 4,600 : 115 volts ratio, complete with primary fuses.

(*b*) *Two sets*—Spare fuses for the above potential transformers.

The above materials shall conform to the latest standards of the A.I.E.E. or the B.E.S.A. and will have to be tested before despatch and test certificates will be required of the successful tenderer at the time of supply of the materials.

The tenderers should furnish complete information regarding the dimensions, design, performance characteristics and phase angle and ratio correction factor curves. Tenders not accompanied by these details will not be considered.

The prices to be quoted should be for delivery c.i.f., Madras.

As the materials are required urgently your prices may be obtained from your Principals by Air Mail and the quotation sent to us not later than 5th September 1936.

No. S. P. C. 1046-55, *dated* 22*nd July* 1936.

To

The Firms dealing in Radio Sets.

Enquiry No. 1894.

RADIO SET.

GENTLEMEN,

I write to request you to quote your best price and the earliest time of delivery for one Radio Set, required for use at Brindavan, Krishnarajasagara, conforming to the following brief specifications :—

All electrical set to work on A.C. main volts 220 to 250 cycles, 25 and 30 watts, amplifier coupled with six or eight valve super set receiver capable of receiving both long and short waves with two electro-dynamic loud speakers for entertaining large number of people (about 1,000 people).

Detailed specifications for the equipment offered by you should be furnished in your tender together with pamphlets illustrating the same.

The price to be quoted should be for delivery f.o.r., Belagola, Mysore Railways.

This enquiry will close on the 8th of August 1936.

No. S. P. C. 1094-1111, *dated* 22*nd July* 1936.

To

The Firms dealing in Pressed Steel Tank and Staging.

Enquiry No. 1896.

PRESSED STEEL TANK AND STAGING FOR CHICKBALLAPUR TOWN WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best prices f.o.r., Chickballapur and the earliest time of delivery for the materials described below :—

One—Pressed Steel Tank (8′×4′×4′) of 800 gallons capacity on a staging of 30 ft. as per following specification :—

One covered pressed steel tank of 800 gallons capacity having a dimension 8′×4′×4′ provided with a manhole at the top and one 2″ flanged hole on one of the sides near the top for inlet, one 2″ flanged hole in the bottom for out let. It should also be fitted with a gauge and level indicating arrangement. It should be given one coat Red-oxide paint.

A staging built up of structural steel 30 feet high to carry the above tank on it with all bolts and nuts and washers required for assembling the staging on the spot and suitable girders to rest the tank on the staging should be supplied. The staging should be fitted with shoe plates for fixing on suitable foundation and the required foundation bolts should also be supplied. It should be given one coat of red-oxide paint and numbered carefully for easily assembling on the spot.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at your expense from other sources in addition to the levy of a penalty of three per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Pressed Steel Tank and Staging for Chickballapur Town Water Supply " with the above Enquiry Number.

This enquiry will be closed on the 10th August 1936.

No. S. P. C. 1194-1210, *daled 27th July* 1936.

To

The Firms dealing in Pumping Sets.

Enquiry No. 1898.

LOW LIFT PUMPING SET FOR BANGALORE CITY DRAINAGE WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices, delivered f.o.r. Bangalore City, and the earliest time of delivery for the materials described below :—

One—Electric Pumping Set consisting of a motor of about 60 H.P. and a low lift pump for handling about 6 cusecs or 2200 imperial gallons of *sewage* per minute against a total head of 30 ft.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Low Lift Pumping Set for Bangalore City Drainage Works ", with the above Enquiry Number.

This enquiry will be closed on the 28th August 1936.

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C. 1439-40, *dated* 27—28*th July* 1936.

NOTICE.

Enquiry No. 1895.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Four High Tension Oil Circuit Breakers required for the Electrical Department, up to 18th September 1936.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.